

Basic Configuration in Magento

configure the connection in Magento, navigate to the Kensium A-M Connector workspace in Magento and click Basic Configuration.

Δ	Kensium A-M Connecto	r			×	Vie	w Details	System Messa	ges: 3 💌
DASHBOARD	Configuration	Mapping					Q	# 0 1	ashaa 🔻
\$ SALES	Acumatica Endpoint URLs	Category	Orders	About			Crea	te Endpoint	URL
8	Basic Configuration	Customer	Returns	Documentation *					
CATALOG	Sync Configuration	Customer Group		Support					
KENSIUM A-M CONNECTOR	Export Setup	Order Status							
*	Import Setup	Payment Method	Queue Status			•	Default View	 Col 	umns 👻
CUSTOMERS	Sync Rules	Product	Consumer Management			per page	<	1 of 2	2 >
MARKETING		Tax Category							
CONTENT		Shipping Method (A>M)							
d.		Shipping Method (M>A)	Admin Logs						
		Stores - Branches	Dulk Action Low						
STORES			Buik Action Lugs						
*			Connector Sync Logs						
SYSTEM									
https://magento.	44beta4.kensium.commerce.com/admin_lkqwua/ad	min/system_config/edit/section/acumatica_connect	or/key/565d31cd7ef2c6357930704a92b00bd55a0ff	89bba/621257480642d7c7976c44/					

Click on the Kensium AM Connectors

Field	Field Type	Description
General		
Enabling Acumatica Connector	Drop-down	You will have two options in the drop-down Yes & No. Yes-> To process the data in Magento from Acumatica you must select yes. Default [Yes] should always be se selected. No-> The Data will come from Acumatica, however, Magento will not process the data and [Save] I within Magento.





Drop-	down	This Acu at tl late	s field shows the Acumati matica will provide an up he top of the list. We reco st one.	ca endpoint. For every version update, dated version. The updated version is displayed ommend you use the latest version and select the
Acun	natica Connectio	on Set	tings	
Authe	entication Type	Dro	p-down	The drop-down provides two options. 1. Oauth 2 2. Login You must select Oauth2 as the authentication type. We have explained this in the following section.
	onfiguration			Save Config
-	9			
DADADOARD	GENERAL	~	General	0
\$ 54.05	CATALOG	~	Enable Acumatica Connector	Yes x
CERNO DE	SECURITY	×	Assessed to Parket by URL assessment	Prace Configues Rase MAQ connection to enable.
	ACUMATICA CONFIGURATION	^	Adamatica Endpoint Chila version	KNAKSEndPoint/28.205.001 * This configuration will be used for all Magento To Acumetics AT-Enripoints. Evelvait value is KNAKEndPoint/20.200.001
	Basic Configuration		A complete dance the cattlene	
	Sync Configuration		Acumatica connection settings	
INVESTIGATION CONTRACTORS	CUSTOMERS		Autorenceation ripe	Oauch 2 * This configuration will be used for Assention Light Type.
context	SALES	~	Acumatica base un	
Ha .	WR MAGIPAL	~		Acurudica HEST APT base uni pro bashing alkahi
	SERVICES	~	Chert Id Intro incl	140010-605-606-29C5-63787/0188/P@Company Cent M
	ADVANCED	~	Client Secret	
				Centions
4 D/045045			Login Userane [trev end]	admin Aunaku EST ATI Jumane
			Login Password	
				Acuratics REST API Parceland
			Confirm Password	Aurora Altaria Altaria Antonia
			Test connection	Test connection Test Acromot (ST AP, comestor using box unit light care rane, person) Test Acromot (ST AP, comestor using box unit light care rane, person) Test Acromot (ST AP, comestor using box unit light care rane, person) Test Acromot (ST AP, comestor using box unit light care rane, person)

The Basic Configuration Screen in Magento

The Logging section of the Basic Configuration page allows a user to select the actions that can be logged during data exchanges between Acumatica and Magento.





Configuration			Save Config
DASHBOARD	Acumatica Logging		\odot
	Enabled Connector actis	nn V Acumatica Customer Create Magento Product Create Magento Product Update Magento Simperent Create Acumatica Order Publisher Acumatica Order Publisher Acumatica Order Create Magento Create Magento Customer Create Magento Customer Create Magento Customer Create Magento Customer Create Magento Price Update Acumatica Customer Update Magento Customer Update	
LL REPORTS		Magento Category Update Magento Product Publisher Magento Customer Publisher Magento Eustomer Publisher Magento Category Publisher Magento Category Publisher Magento Invectory Publisher	
NA STRATUER 6. STRADOR		Magento Order Publisher Magento Shipment Publisher Magento Salesprice Update Magento Salesprice Publisher Magento Productistatus Update Magento Productistatus Publisher Magento Orderstatus Update Magento Orderstatus Ublisher Magento Orderstatus Publisher Magento Driderstatus Publisher Mage	
		Magento Productimage Update Magento Productimage Publisher	

Option to check the list of Actions.

You should check the options under **[Enable Connector Login.]** The feature allows you to see the Connector logs in the Kensium A-M Connectors.

Click on the Kensium A-M Connector on the left panel and click on the **Connectors Sync Logs** under the **Logs** option as shown below.





Δ	Kensium A-M Connector				×	View Details	System Me	essages: 1 💌
DASHBOARD						Q	#0	💄 ashaa 👻
\$ SALES	Acumatica Endpoint URLs	Category	Orders	About			Save	Config
•	Basic Configuration	Customer	Returns	Documentation ^a				
CATALOG	Sync Configuration	Customer Group		Support				
KENSIUM A-M CONNECTOR	Export Setup	Order Status						
* \	Import Setup	Payment Method	Queue Status					\odot
CUSTOMERS	Sync Rules	Product	Consumer Management					
MARKETING		Tax Category	<			•		
		Shipping Method (A>M)	Logs					
ıl.		Shipping Method (M>A)	- Admin Loas		Endpoin	*		
REPORTS		Stores - Branches	Authin Logs					
7115			Bulk Action Logs					
STORES			Connector Sync Logs					\odot
SYSTEM						•		

Connector Log sync in Kensium A-M Connection

If the option under Acumatica Logging is clicked, then in the Connector Sync Logs, you will be able to see the details of the action. That action could be successful or failed, irrespective of whether the browser will show the action. The same has been shown in *Figure 21*



The Log details will only be shown if you have checked the [Enable Connector actions].





Configuration		Save Config
DASHBOARD	Log Severity [global] Debug	-
CATALOG	Log Cleaning [global] Yes	
KENSRIM A-M CONNECTOR	Batch Count Istobal	
CUSTOMERS	Enter Batch count to clean logs with batches Delete Archive Logs Ves	
	Log Entry Lifetime Days [globai] 120	
	Send failure log report [store view] Yes	
	Email Error Log Configuration	
STORES	Log Report Email Section and Section 2010 Se	
FIND PARTHERS	Log Report Email Template [store stew] Error Email (Default)	
a chicksure	Email template chosen based on theme failback when "Default" option is	

Connector log sync in screen

Actions that are to be recorded in Magento logs can be toggled on in the Acumatica Logging section of the Basic Configuration screen.

- 1. Toggle the Logs that are needed.
- 2. Enter a value for the Log Entry Lifetime, days.
- 3. Enter a Log Cleaning Frequency.
- 4. Select the Show in System Messages preferences.
- 5. Click Save Config.

Field	Field Type	Description	
Log Severity	Drop-down	 Available options: Info: If selected, you can see the passed logs Any transaction which fails will not be visible. Debug: If selected, the application will show of passed, failed, warning etc. Error: You can see if there is an error only. Fatal: If selected, the error caused by PHP w will not display a pass/fail in the Connection Lo We strongly recommend that the user se mode. 	in the connector Logs. you all logs irrespective ill show in the Logs. It og screen. elect the [Debug]





Log Cleaning	Drop-down	 Options available: Yes[] 2 new fields will be enabled [Log Entry Lifetime Days], [Batch Count]. No[] Logs will not be cleared from the connector log screen. 			
Log Entry Lifetime Days	Text Filed	Enter the number of days for which you want to keep the logs. If you want to keep the logs for one month enter 30 and so on.			
Batch Count	Text Field	Enter the number of records you want to delete from the database in a single go. For example, if you enter 100 in the batch count the application will delete 100 records at a time.			
Delete Archive Logs	Drop-down	After deleting the logs, the application will archive the deleted logs in the database. So that in case the user wants to retrieve those our back-end team will pull the records back. Options available: • Yes: This will enable the new field [Log Entry Lifetime Days] • No: If you select this, this will delete the archived logs. Recommend selecting [YES].			
Log Entry Lifetime Days	Text Field	Enter the number of days you want to keep in the database. Post your specified period the archived log will be deleted from the database permanently.			
Send failure log report	Drop-down	In case of failure, the application provides an option to send an error report. You will have the option to select Yes and No. If yes, then you will see a new section Email Error Log Configuration. If you select No, the system will not send any notification to you.			
Email Error Log Conf	Email Error Log Configuration				
Error Report Frequency	Drop-down	Select the frequency from the drop-down. You can choose a frequency of 30 minutes, 1 hour, 2 hours and so on.			

Log Report Email Sender	Drop-down	You can choose the role of the sender. The application will automatically send a trigger email.
Log Report Email Template	Drop-down	Choose the system-defined template.





Email Recipient	Text box	Enter the recipient's email address. For multiple email addresses, you need to use a coma separator			
Send Error Report For	Text box	From the list of the sync entities, you can choose the failure report. For example, if you do want to receive the failure report for price sync you can select that by [CTRL +Click]. This action will uncheck the item from the default list.			
Exclude Error List	Text box	This is an additional filter. Select the messages to exclude from the email. If the failure log contains these messages, it will be excluded from the email. This is based on the entity and can be customized. Entity refers to Product, Price, Inventory etc. You need to choose the entity from the drop- down. You can add or delete the entity and the respective message.			
Send Queue Idle Notific	Send Queue Idle Notifications				
Send Queue Idle Notifications	Drop-down	The role of the Queues is very important. They run the data and alert the system administrator. If it's idle, then the sys system will not process the data, even though Acumatica is processing the data. Option Available: • Yes (Recommended) • No (The following fields will not appear)			
Queue Idle Email Sender	Drop-down	Select the email sender when the queue is idle.			
Queue Idle Email Template	Drop-down	The default template is provided by the application.			
Queue Idle Email Recipient	Text box	Recipient's email address so that the application can send the alert message. For multiple email addresses use a comma separator.			
Queue Idle Email Notification Frequency	Drop-down	Based on the value of the field the email notification will be triggered. The default value is set to 5. You can change it by using the drop-down.			
Queue Idle Logs activity frequency	Drop-down	This determines how long the system is idle. The default value is set to 15 minutes. So, if the connector log activity is idle for 15 minutes despite the count existing then every 5 minutes the application is going to alert the email recipient.			



Acumatica Admin Log		
Admin Log Cleaning	Drop-down	You can find an option for [Admin Log]in Magento K-M Connector Settings under Logs. Any configuration updates are displayed in Admin Logs. In the Settings, you will have two options. • Yes [Recommended] • No [If selected, no additional field will be displayed in the configuration]
Log Entry Lifetime Days	Text field	Specify the number of days you want to keep the logs in the Admin Log section.



After setting up the basic configuration you must save the changes by clicking on [Save Config].

Configuration			Save Config
DASHIDARD \$	Log Severity [global]	Debug	•
	Log cleaning [global]	Yes	
	Log Entry Lifetime Days [global]	100	
CONVECTOR	Batch Count [global]	1000 Enter Batch count to clean logs with batches	
CUSTOMERS	Delete Archive Logs [global]	Yes	•
	Log Entry Lifetime Days [global]	120	
	Send failure log report [store view]	Yes	<u> </u>
	Error Report Frequen	CV Eveny 30 Minutes	
	[store vir	every so minutes	•
FIND PARTNERS	Log Report Email Templa [store vii	tte Error Email (Default)	•
& DITENSIONS		Email template chosen based on theme fallback when "Default" opt	ion is

Log-related option in the Configuration Screen





Configuration						Sa	Save Co
DASHBOARD	Exclude Error List [store view]	Entity	Messages	Action			
S sources		Product 💌	Product: %s}}	-			
CATALOG			{{name is not mapped Product: + %s}}				
KENSIMAAM CONNECTOR		Deschustetat	//Magento *	÷			
¢ customers		Productstati	exist. Product: %s}}				
MARSTING			IICannot undate 8				
сонтыя		Inventory •	{{Magento product does not exist. Product: %s}}	Ŵ			
, the			Å				
stores		Price •	{{Magento product does not exist. Product: %s}}	Ŵ			
STITM			SOLSTATE(40001)-				
FRID PARTNERS & CATTERSIONS		Salesprice 💌	{{The product that was requested doesn't exist. Verify the product and try	Ŵ			

Option for excluding error list.

Δ	Configuration	Save Config
CASHBOARD Soles	Send Queue Idle notifications [store view]	Yes Make sure to enable all connector actions for each queue consumer. If anyone of the action is not enabled for the given consumer then the email notification will not trigger for that queue.
CATALOG	Queue Idle Email Sender	General Contact 🔹
KENSTUM A-M CONNECTOR	Queue Idle Email Template (store view)	Queue Idle Ernail (Default) Ernail template chosen based on theme fallback when "Default" option is selected.
	Queue Idle Email Recipient (store view)	(Comma Seperated)
CONTENT	Queue Idle Email Notification frequency [store vew]	5
IL. REPORTS	Queue Idle logs activity frequency	annen normanominen en ogget kanete om ere koningerete vende (detablik 3) in minutes. 16.
STORES	[störe view]	t is used to check connector logs activity for the given value (default 15) in minutes.
-		

Send Queue idle notification section





	Configuration	Save Config
DASHEOARD	Queue Idle Email Template [store view]	Queue Idle Email (Default) *
\$ SALES	Queue Idle Email Recipient	amail template chosen based on theme talback when "Detault" option is selected.
CATALOS	[store view]	(Comma Seperated)
KENSIUM A-M CONNECTOR	Queue Idle Email Notification frequency [ptore view]	5 v Email notification will trigger based on the configured value (default 5) in
CUSTOMERS	Queue Idle logs activity frequency	15
		It is used to check connector logs activity for the given value (default 15) in minutes.
CONTENT	Acumatica Admin Log	0
IL. REPORTS	Admin Log cleaning (global)	Yes
STORES	Log Entry Lifetime Days	100
SYSTEM		
•		

Admin log configuration

