

# Get Inventory



**Feature:** Sales



**Editions:** Cloud, Corporate

---

The `item` endpoint can be queried to retrieve inventory information. This includes inventory description, quantities per warehouse (and other warehouse details), and serial/lot numbers.

Unless otherwise noted, results obtained through this endpoint are ordered by SKU.

The endpoint requires `ViewInventory` permissions to access.

## Examples

### Data Sync

The endpoint supports data synchronization using `since` and `until` parameters. See [Since & Until parameters](#) for more information. Results obtained through the `since` parameter are sorted by modification date.

As the modification dates for inventory warehouse details and serial/lot numbers are maintained separately from the main inventory records, POS also provides the `itemWarehouse` and `itemSerialLot` endpoints. You can use the `Since` and `Until` access pattern on these endpoints to detect modifications in warehouse details and serial/lot numbers.

Use the `itemWarehouse` and `itemSerialLot` endpoints to perform data synchronization for item warehouse details and serial lot information, respectively.

For other usages, warehouse details and serial lot information can be obtained through properties on the `item` endpoint.

## List Inventory

Return a list of inventory items:

```
query MyQuery {  
  item(  
    skip:0,  
    first:20  
  ) {  
    hasMoreResults  
    results {  
      sku  
      name  
      longName  
      saleUom  
      warehouses {  
        warehouseCode  
        sku  
        basePrice  
      }  
    }  
  }  
}
```

The `hasMoreResults` value indicates whether more results are available, which you set the `skip` and `first` parameters to get the next page of data.

In this example, we are also retrieving warehouse details for each inventory item.

## List Inventory by Warehouse

Return a list of inventory, filtered by a specified warehouse:

```
query MyQuery {  
  item(  
    warehouseCode: "MAIN"  
    skip:0,  
    first:20  
  ) {  
    hasMoreResults  
    results {  
      sku
```



KENSIMUM

POS



Acumatica

```
    name
    longName
    saleUom
    stockUom
    warehouses {
      warehouseCode
      quantityAvailable
      basePrice
    }
  }
}
```

This query is similar to the *List Inventory* query above, but with the addition of a `warehouseCode` parameter that limits the results to only those items that are in the warehouse.

Another difference is that the `warehouses` property of each item will only return details for the specified warehouse.

### Get Inventory by SKU

Return the inventory item that matches the specified SKU:

```
query MyQuery {
  item(
    sku: "AAMACHINE1"
  ) {
    hasMoreResults
    results {
      sku
      name
      longName
      status
      saleUom
      stockUom
      isNonStock
      isSerialLot
      isWeighed
      canDiscount
      mustOverrideDescription
      mustOverridePrice
      abcCode
    }
  }
}
```



KENSIMUM

POS



Acumatica

```
commodityCode
serialLots {
  type
  code
  quantity
  warehouseCode
}
warehouses {
  warehouseCode
  status
  quantityAvailable
  basePrice
  canDiscount
  cost
  inventoryClassCode
  salesTaxCode
}
altCodes {
  type
  value
}
dimensions {
  volume {
    value
    uom
  }
  weight {
    value
    uom
  }
}
}
```

This example returns most of the available fields, including *all* serial/lot numbers and warehouse details for the item.

The example also illustrates how item volume, weight and alternate codes (e.g. UPC codes) can be retrieved.



KENSIMUM

POS



Acumatica



An alternative to using the `item` endpoint to lookup serial/lot information is the `itemSerialLot` endpoint. This endpoint may be more suitable depending on your use cases, and whether your inventory items have large numbers of serial or lot numbers.

## Get Inventory by Serial or Lot Number

Return the inventory item(s) that match a specified serial or lot number:

```
query MyQuery {
  item(
    serialLotCode: "ABC000002"
  ) {
    hasMoreResults
    results {
      sku
      name
      longName
      saleUom
      stockUom
      serialLots {
        type
        code
        quantity
        warehouseCode
      }
      warehouses {
        warehouseCode
        quantityAvailable
        basePrice
      }
    }
  }
}
```

Note that if you do not specify a SKU filter parameter value, the results may return multiple results. This would be the case if the same serial or lot numbers are used by multiple inventory items.

Furthermore, when you search by serial or lot number, the `serialLots` property of the returned item

only contains details about that serial/lot number.

### Get Inventory by Name



Return the inventory items that have a name that starts with a specified text:

```
query MyQuery {
  item(name:"butter") {
    hasMoreResults
    results {
      sku
      name
    }
  }
}
```

This query example will match the following inventory names:

- Butter
- Butter Solids
- Butter Cups

### Get Inventory by Name (Includes)

Return the inventory items that have a name that *includes* the specified text:

```
query MyQuery2 {
  item(nameIncludes:"butter") {
    hasMoreResults
    results {
      sku
      name
    }
  }
}
```

This query is less restrictive than the preceding example, and will match the following inventory names:

- Butter
- Butter Solids
- Butter Cups
- Whipped Butter
- Peanut Butter